

## FANYUAN INSTRUMENT (HF) CO., LTD. DOWELL SCIENCE AND TECHNOLOGY (HK) CO., LTD.

ADD: Tianyuan Road 9#, High-tech Zone, Hefei City, China Postal Code: 230088

TEL: +86-551-65232508 FAX: +86-551-65232507 Email: sales@hkdowell.com Website: http://www.fyichina.com.cn

## **DW0311D ELECTRONIC EVENNESS TESTER**



## Model No.

**DW0311D** 

## **Application:**

Electronic Evenness Tester is used to determine the evenness of roving or silver.

## **Related Standards:**

STANDARDS WD 4001

Note: this tester can conform to but not limit to all the standards above, for more standards conformance, please contact us.

# FANYUAN INSTRUMENT (HF) CO., LTD. DOWELL SCIENCE AND TECHNOLOGY (HK) CO., LTD.



ADD: Tianyuan Road 9#, High-tech Zone, Hefei City, China Postal Code: 230088

TEL: +86-551-65232508 FAX: +86-551-65232507 Email: sales@hkdowell.com Website: http://www.fyichina.com.cn

#### **Features:**

- Adopt a micro-computer to control and LCD to display, with human-machine interfaces.
- Be able to input various types of characters
- Real-timely display the curve
- Be able to save the data automatically in the case that the machine is out of power abruptly
- Be able to retrieve 30 pieces of old data at most and print report forms or curve graphics
- Testing environment does not need to meet the requirement of constant temperature and constant humidity.
- Be able to examine specimens of different dielectric-coefficient fibers without being affected by the humidity of different parts of specimens
- Apply an electronic sensor to simple the operation and automatically carry out the test and the calculation
- Be able to automatically calculate the unevenness rate R%
- Be able to output CV% and wave spectrum graphics

#### **Key Specifications:**

	Display	LCD
_	Dispidy	LCD

Measurement range
160~650tex

• Resolution 0.01mm

• Width of idler pulley slot 1.58mm and 3.17/4.60mm

• Circumferential velocity of idler pulley 1950mm/min

• Testing length 1~20m (digitally set)

• Testing units mm, µm, mil

• Dimensions  $590\times450\times510$ mm (L×W×H)

Power supply
AC220V 50HZ 60W

• Weight 50kg

### **Standard configuration:**

Confidential Page 2 of 3 8/5/2015



## FANYUAN INSTRUMENT (HF) CO., LTD. DOWELL SCIENCE AND TECHNOLOGY (HK) CO., LTD.

ADD: Tianyuan Road 9#, High-tech Zone, Hefei City, China Postal Code: 230088

TEL: +86-551-65232508 FAX: +86-551-65232507 Email: sales@hkdowell.com

Website: http://www.fyichina.com.cn

No.	Item	Quantity
1	Main Machine	1 set
3	Yarn creel	1 set

## **Optional Accessories:**

No.	Item
1	Printer